

Panasonic

Panasonic Air Conditioner Product Roadmap 2024



nanoeX
Generator Mark3



AEROWINGS





























nanoe-G

QUALITY AIR FOR LIFE

2024 Product roadmap


Model Line-up

Product Roadmap 2024

Product Series	FY2023		Status	FY2024		9K	12K	18K	24K	28K	30K
PREMIUM nanoe™ INVERTER		XU	➔		New XU-AKT	 ★★★★★	 ★★★★★	 ★★★★★	 ★★	n/a	n/a
DELUXE nanoe™ INVERTER		XKU	➔		TU	 ★★	 ★★	 ★★	 ★★	n/a	n/a
HEALTHY nanoe™ INVERTER		KU	Discontinue								
STANDARD INVERTER		PU	➔		YU	 ★	 ★				n/a
ECO NON-INVERTER		YN	Continue							n/a	n/a
NON INVERTER(BIG CAPACITY)		PN	Continue			n/a	n/a	n/a	n/a	n/a	YES

New product launch in W3 Jan 2024

Panasonic



PREMIUM nanoe™ INVERTER

Indoor : CS-XU9AKT EAN : 8887549827716
Outdoor : CU-XU9AKT EAN : 8887549828218



QUALITY AIR FOR LIFE

Product Specification

Cooling Capacity : BTU (min-max) 9,518 (3,340-12,300)

sEER (Btu/h/W) : 25.56

EGAT : 5 ★★★★★

Noise Level

Indoor (H/M/L) : 42/26/19 dB(A)

Outdoor (H) : 47 dB(A)

Dimensions

Indoor (H/W/D) : 295/870/229 mm.

Outdoor (H/W/D) : 542/780/289 mm.

Packaging Dimensions

Indoor (H/W/D) : 283/952/374 mm.

Outdoor (H/W/D) : 636/921/416 mm.

New weight

Indoor : 10 (22) kg. (lb.)


Outdoor : 27 (60) kg. (lb.)

Gross weight

Indoor : 12 (26) kg. (lb.)

Outdoor : 31 (68) kg. (lb.)

Panasonic



PREMIUM nanoe™ INVERTER

Indoor : CS-XU13AKT

EAN : 8887549827570

Outdoor : CU-XU13AKT

EAN : 8887549828072



QUALITY AIR FOR LIFE

Product Specification

Cooling Capacity : BTU (min-max) 12,679 (3,480 - 15,300)

sSEER (Btu/h/W) : 24.43

EGAT : 5 ★★★★★

Noise Level

Indoor (H/M/L) : 43/26/19 dB(A)

Outdoor (H) : 48 dB(A)

Dimensions

Indoor (H/W/D) : 295/870/229 mm.

Outdoor (H/W/D) : 542/780/289 mm.

Packaging Dimensions

Indoor (H/W/D) : 283/952/374 mm.

Outdoor (H/W/D) : 636/921/416 mm.

New weight

Indoor : 10 (22) kg. (lb.)


Outdoor : 27 (60) kg. (lb.)

Gross weight

Indoor : 12 (26) kg. (lb.)

Outdoor : 31 (68) kg. (lb.)

Panasonic



PREMIUM nanoe™ INVERTER

Indoor : CS-XU18AKT EAN : 8887549827617
Outdoor : CU-XU18AKT EAN : 8887549828119



QUALITY AIR FOR LIFE

Product Specification

Cooling Capacity : BTU (min-max) 18,080 (3,750 - 21,200)

sSEER (Btu/h/W) : 24.19

EGAT : 5 ★★★★★

Noise Level

Indoor (H/M/L) : 44/32/27 dB(A)

Outdoor (H) : 50 dB(A)

Dimensions

Indoor (H/W/D) : 295/1,040/244 mm.

Outdoor (H/W/D) : 619/824/299 mm.

Packaging Dimensions

Indoor (H/W/D) : 314/1,148/383 mm.

Outdoor (H/W/D) : 680/958/416 mm.

New weight

Indoor : 12 (26) kg. (lb.)


Outdoor : 30 (66) kg. (lb.)

Gross weight

Indoor : 14 (31) kg. (lb.)

Outdoor : 33 (73) kg. (lb.)

Panasonic



PREMIUM nanoe™ INVERTER

Indoor : CS-XU24AKT EAN : 8887549827662
Outdoor : CU-XU24AKT EAN : 8887549828164



QUALITY AIR FOR LIFE

Product Specification

Cooling Capacity : BTU (min-max) 24,053 (4,260 - 27,300)

sSEER (Btu/h/W) : 20.20

EGAT : 5 ★★

Noise Level

Indoor (H/M/L) : 47/37/28 dB(A)

Outdoor (H) : 53 dB(A)

Dimensions

Indoor (H/W/D) : 295/1,040/244 mm.

Outdoor (H/W/D) : 695/875/320 mm.

Packaging Dimensions

Indoor (H/W/D) : 314/1,148/383 mm.

Outdoor (H/W/D) : 761/1,049/460 mm.

New weight

Indoor : 14 (31) kg. (lb.)

Outdoor : 42 (93) kg. (lb.)

Gross weight

Indoor : 16 (35) kg. (lb.)

Outdoor : 46 (101) kg. (lb.)

Panasonic

Key selling point

Cleaner Air



nanoe™ X effectively deodorises and inhibits various pollutants for a fresher and cleaner space.



Inside cleaning works inside of an indoor unit by removing moisture, and releases nanoe™ X to inhibit various pollutants.



nanoe-G effectively removes up to 99% of PM2.5.

Convenience



Panasonic
Comfort Cloud App

Provides convenience to connect and control the air conditioner anywhere, anytime.

Comfort



HUMIDITY
SENSOR
+
DRY MODE

Air conditioner with Humidity Sensor and Dry Mode helps to remove excess moisture in the room while preventing overcooling.



HUMIDITY
SENSOR
+
iAutoX
INTELLIGENT · DYNAMIC · COOL

Air conditioner with Humidity Sensor and iAUTO-X mode helps to provide an ideal sleep environment.

POWERFUL

POWERFUL Mode cools your room faster during start-up for instant cooling comfort.

AEROWINGS

Further and faster airflow across the room using 2 flaps.

Energy Efficiency



Varies the rotation speed of the compressor for higher energy saving.



Auto-adjusts the optimal ECO level based on the heat load conditions and air conditioning cooling capacity.



AEROWINGS



Cleaner Air



ยับยั้งมลพิษ 5 ชนิด ขจัดกลิ่นและให้ความชุ่มชื้นอย่างมีประสิทธิภาพ พร้อมด้วยคุณสมบัติประโยชน์จาก



ให้อากาศภายในตัวเครื่องสะอาด ขจัดความชื้นพร้อมปล่อย nanoe X เพื่อยับยั้งมลพิษ



nanoe-G ประสิทธิภาพในการกำจัด PM2.5 99%



Convenience

ให้คุณควบคุมการทำงานของเครื่องปรับอากาศได้สะดวกทุกที่ทุกเวลา



Comfort

เครื่องปรับอากาศที่มาพร้อมกับเซ็นเซอร์ตรวจจับความชื้นและ Dry mode ช่วยลดความชื้น

เครื่องปรับอากาศที่มาพร้อมกับเซ็นเซอร์ตรวจจับความชื้นและ iAUTO-X mode ช่วยปรับความชื้นสัมพัทธ์ให้ต่ำกว่า 60% อย่างต่อเนื่อง ให้ความเย็นที่

Powerful Mode ให้ห้องคุณเย็นเร็วขึ้น สัมผัสลมเย็นสบายทันที

ช่วยให้กระแสลมแรง กระจายออกไปได้ไกล 15 เมตร พร้อมกระแสลมที่เพิ่มขึ้น 10% และความเร็วลม 20%

Energy Efficiency



เย็นเร็วทันใจตั้งแต่สั่งการ รักษาอุณหภูมิคงที่ ทนทาน และทำงานเงียบ ด้วยระบบ



Inverter ที่เครื่อง Panasonic ประหยัดพลังงานสูงสุด 20% ด้วยโหมด AI ECO ให้คุณเย็นสบายไม่ไร้กังวล



Panasonic



DELUXE nanoe™ INVERTER

Indoor : CS-TU9AKT EAN : 8887549851544
Outdoor : CU-TU9AKT EAN : 8887549851735

Product Specification

Cooling Capacity : BTU (min-max) 9,024 (3,070 - 11,600)
sEER (Btu/h/W) : 20.16
EGAT : 5 ★★

Noise Level

Indoor (H/M/L) : 38/26/19 dB(A)
Outdoor (H) : 47 dB(A)

Dimensions

Indoor (H/W/D) : 290/765/214 mm.
Outdoor (H/W/D) : 511/650/230 mm.

Packaging Dimensions

Indoor (H/W/D) : 260/847/364 mm.
Outdoor (H/W/D) : 578/784/347 mm.

New weight

Indoor : 8 (18) kg. (lb.)
Outdoor : 17 (37) kg. (lb.)

Gross weight

Indoor : 9 (20) kg. (lb.)
Outdoor : 19 (42) kg. (lb.)



AEROWINGS



QUALITY AIR FOR LIFE

Panasonic



DELUXE nanoe™ INVERTER

Indoor : CS-TU13AKT EAN : 8887549851513
Outdoor : CU-TU13AKT EAN : 8887549851704

Product Specification

Cooling Capacity : BTU (min-max) 12,030 (3,480 - 14,000)

sEER (Btu/h/W) : 20.98

EGAT : 5 ★★

Noise Level

Indoor (H/M/L) : 40/28/19 dB(A)

Outdoor (H) : 48 dB(A)

Dimensions

Indoor (H/W/D) : 290/765/214 mm.

Outdoor (H/W/D) : 542/780/289 mm.

Packaging Dimensions

Indoor (H/W/D) : 260/847/364 mm.

Outdoor (H/W/D) : 603/891/396 mm.

New weight

Indoor : 8 (18) kg. (lb.)

Outdoor : 22 (49) kg. (lb.)

Gross weight

Indoor : 9 (20) kg. (lb.)

Outdoor : 26 (57) kg. (lb.)



AEROWINGS



QUALITY AIR FOR LIFE

Panasonic



DELUXE nanoe™ INVERTER

Indoor : CS-TU18AKT EAN : 8887549851520
Outdoor : CU-TU18AKT EAN : 8887549851711

Product Specification

Cooling Capacity : BTU (min-max) 18,017 (3,750 - 20,500)

sSEER (Btu/h/W) : 20.13

EGAT : 5 ★★

Noise Level

Indoor (H/M/L) : 44/34/28 dB(A)

Outdoor (H) : 50 dB(A)

Dimensions

Indoor (H/W/D) : 290/1,060/249 mm.

Outdoor (H/W/D) : 619/824/299 mm.

Packaging Dimensions

Indoor (H/W/D) : 314/1,168/383 mm.

Outdoor (H/W/D) : 680/958/416 mm.

New weight

Indoor : 12 (26) kg. (lb.)

Outdoor : 28 (62) kg. (lb.)

Gross weight

Indoor : 15 (33) kg. (lb.)

Outdoor : 31 (68) kg. (lb.)



AEROWINGS



QUALITY AIR FOR LIFE

Panasonic



DELUXE nanoe™ INVERTER

Indoor : CS-TU24AKT EAN : 8887549851537
Outdoor : CU-TU24AKT EAN : 8887549851728

Product Specification

Cooling Capacity : BTU (min-max) 24,131 (4,260 - 27,300)

sSEER (Btu/h/W) : 20.10

EGAT : 5 ★★

Noise Level

Indoor (H/M/L) : 47/37/29 dB(A)

Outdoor (H) : 53 dB(A)

Dimensions

Indoor (H/W/D) : 295/1,060/249 mm.

Outdoor (H/W/D) : 695/875/320 mm.

Packaging Dimensions

Indoor (H/W/D) : 314/1,168/383 mm.

Outdoor (H/W/D) : 761/1,049/460 mm.

New weight

Indoor : 13 (29) kg. (lb.)

Outdoor : 42 (93) kg. (lb.)

Gross weight

Indoor : 15 (33) kg. (lb.)

Outdoor : 46 (101) kg. (lb.)



AEROWINGS



QUALITY AIR FOR LIFE

Panasonic

Key selling point

Cleaner Air



nanoe™ X effectively deodorises and inhibits various pollutants for a fresher and cleaner space.



Inside cleaning works inside of an indoor unit by removing moisture, and releases nanoe™ X to inhibit various pollutants.

Convenience



Provides convenience to connect and control the air conditioner anywhere, anytime.

Comfort



Further and faster airflow across the room using 2 flaps.

Energy Efficiency



Varies the rotation speed of the compressor for higher energy saving.



Auto-adjusts the optimal ECO level based on the heat load conditions and air conditioning cooling capacity.



AEROWINGS



QUALITY AIR FOR LIFE

Cleaner Air



ยับยั้งมลพิษ 5 ชนิด ขจัดกลิ่นและให้ความชุ่มชื้นอย่างมีประสิทธิภาพ พร้อมด้วยคุณประโยชน์จาก



ให้อากาศภายในตัวเครื่องสะอาด ขจัดความชื้นพร้อม

Convenience



ให้คุณควบคุมการทำงานของเครื่องปรับอากาศได้สะดวกทุกที่ทุกเวลา

Comfort



ช่วยให้กระแสลมแรง กระจายออกไปได้ไกล 15 เมตร พร้อมกระแสลมที่เพิ่มขึ้น 10% และความเร็วลม 20%

Energy Efficiency



เป็นเร็วทันใจตั้งแต่สั่งการ รักษาอุณหภูมิคงที่ ทนทาน และทำงานเงียบ ด้วยระบบ



ประหยัดพลังงานสูงสุด 20% ด้วยโหมด AI ECO ให้คุณเย็นสบายไร้กังวล



Panasonic



Standard Inverter

Indoor : CS-YU9ZKT

EAN : 8887549866685

Outdoor : CU-YU9ZKT

EAN : 8887549866739

Product Specification

Cooling Capacity : BTU 9,080 (3,500-11,000)

sEER (Btu/h/W) : 19

EGAT : 5 ★

Noise Level

Indoor (H/M/L) : 38.5/35/29 dB(A)

Outdoor (H) : 53 dB(A)

Dimensions

Indoor (H/W/D) : 295/835/208 mm.

Outdoor (H/W/D) : 495/720/270 mm.

Packaging Dimensions

Indoor (H/W/D) : 290/905/355 mm.

Outdoor (H/W/D) : 540/835/300 mm.

New weight

Indoor : 8.5 kg.

Outdoor : 20.4 kg.

Gross weight

Indoor : 11.1 kg.

Outdoor : 22.2 kg.

QUALITY AIR FOR LIFE

Panasonic



Standard Inverter

Indoor : CS-YU13ZKT

EAN : 8887549866647

Outdoor : CU-YU13ZKT

EAN : 8887549866692

Product Specification

Cooling Capacity : BTU 12,297 (3,500-13,000)

sSEER (Btu/h/W) : 18.56

EGAT : 5 ★

Noise Level

Indoor (H/M/L) : 42/37.5/32 dB(A)

Outdoor (H) : 55.5 dB(A)

Dimensions

Indoor (H/W/D) : 295/835/208 mm.

Outdoor (H/W/D) : 495/720/270 mm.

Packaging Dimensions

Indoor (H/W/D) : 290/905/355 mm.

Outdoor (H/W/D) : 540/835/300 mm.

New weight

Indoor : 8.6 kg.

Outdoor : 20.5 kg.

Gross weight

Indoor : 11.2 kg.

Outdoor : 22.3 kg.

QUALITY AIR FOR LIFE

Panasonic



Standard Inverter

Indoor : CS-YU18ZKT

EAN : 8887549866654

Outdoor : CU-YU18ZKT

EAN : 8887549866708

Product Specification

Cooling Capacity : BTU 18,097 (2,800 – 19,500)

sSEER (Btu/h/W) : 17.81

EGAT : 5

Noise Level

Indoor (H/M/L) : 43.5/36.5/32.5 dB(A)

Outdoor (H) : 56 dB(A)

Dimensions

Indoor (H/W/D) : 320/969/241 mm.

Outdoor (H/W/D) : 555/765/303 mm.

Packaging Dimensions

Indoor (H/W/D) : 405/1,045/315 mm.

Outdoor (H/W/D) : 610/887/337 mm.

New weight

Indoor : 10.9 kg.

Outdoor : 25.7 kg.

Gross weight

Indoor : 14.3 kg.

Outdoor : 28.1 kg.

QUALITY AIR FOR LIFE

Panasonic



Standard Inverter

Indoor : CS-YU24ZKT

EAN : 8887549866661

Outdoor : CU-YU24ZKT

EAN : 8887549866715

Product Specification

Cooling Capacity : BTU 24,322 (9,600 – 28,000)

sEER (Btu/h/W) : 17.95

EGAT : 5

Noise Level

Indoor (H/M/L) : 47/42/40 dB(A)

Outdoor (H) : 57.5 dB(A)

Dimensions

Indoor (H/W/D) : 336/1,083/244 mm.

Outdoor (H/W/D) : 673/890/342 mm.

Packaging Dimensions

Indoor (H/W/D) : 315/1,155/415 mm.

Outdoor (H/W/D) : 740/995/398 mm.

New weight

Indoor : 13.4 kg.

Outdoor : 39.1 kg.

Gross weight

Indoor : 17.1 kg.

Outdoor : 42.2 kg.

QUALITY AIR FOR LIFE

Panasonic



Standard Inverter

Indoor : CS-YU28ZKT

EAN : 8887549866678

Outdoor : CU-YU28ZKT

EAN : 8887549866722

Product Specification

Cooling Capacity : BTU 28,005 (9,600 – 29,500)

sSEER (Btu/h/W) : 16.96

EGAT : 5

Noise Level

Indoor (H/M/L) : 48/42.5/40.5 dB(A)

Outdoor (H) : 59 dB(A)

Dimensions

Indoor (H/W/D) : 336/1,083/244 mm.

Outdoor (H/W/D) : 673/890/342 mm.

Packaging Dimensions

Indoor (H/W/D) : 315/1,155/415 mm.

Outdoor (H/W/D) : 740/995/398 mm.

New weight

Indoor : 13.4 kg.

Outdoor : 39.1 kg.

Gross weight


Indoor : 17.1 kg.

Outdoor : 42.2 kg.


QUALITY AIR FOR LIFE

Panasonic


Key selling point



Gear Change



i-Clean function(New)




- i-Clean function enables cleaning and drying the indoor coil to avoid mold.
- Press CLEAN button in any mod etc to enable i-clean function, "CL" will show in indoor display.



Wind Avoid Me
Avoid wind blowing directly on you by using the remote to instantly adjust the wind direction.


Panasonic

Key selling point




ติดตั้งง่ายขึ้นด้วย Wiring Terminal ขนาดใหญ่
ประหยัดเวลากว่า

Gear Change




ปรับเปลี่ยนโหมดประหยัดพลังงานได้ 3 ระดับ 50% 75% 100%



i-Clean ฟังก์ชันทำความสะอาด และ ขจัดความชื้นให้กับ coil ตัวในบ้านกำจัดสิ่งสกปรกและลดเชื้อราสะสม

เพียงกดที่ปุ่ม CL ที่รีโมท



Wind Avoid Me

ปรับลมเย็นไม่ให้โดนตัวง่าย ๆ เพียงคลิกฟังก์ชันที่รีโมท